Name		He			Date	7-7-1	5	Page	of	
Natc nspec	(Please hman ted From Hu		Y	То	Cuth	forVille	W.O Number	e <u>r</u> 207	2832	/ *
	Exception Chain	Marker No.	w.o.	Track	Rail	Switch	Cod	les	Status	Repair
Item	From	To	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			的指導機構製造							
2.		5.85								
3.		- 1					V 8			
4.			Nation of the state of the stat							
5.									- 2	
6.										
7.			(PEDALSHAMPA) Algers							
8.										
9.			造版作的解析							
em	COMMENTS		1 2							
			iding I	-1251	pect	10.5				
			- 160 <u>-</u>							
\dashv			*******							
$\overline{}$										
Н			~							
-										
\dashv										
\dashv										
								35		
										12
			of Inspected		98		0			
\A/	ere all single op	erating mec	hanism & con	ecting re	od type sv	vitches inside	area and ope	eratated in e	each position	on ?
V V .										
										199
	NO									190
			N Yes	1	NO<					***
es	NO	SPECTIC								***
98	NO	SPECTIC					,	6		100
9s	NO	SPECTIC)			
es	NO	SPECTIC					,			
es Rea	SPECIAL IN	SPECTIC							ion/M/S	- Contract of the contract of
es Rea	NO	SPECTIC					Supervisory		ion <u>M</u>	a for a
es Rea	SPECIAL IN	SPECTIC							ion <u>M</u>	9-9
es Rea	SPECIAL IN	SPECTIC							ion <u>M</u>	9-9

	W				- Test				
lame	W. BLY	an	+	Date 0	9-07	-15	Page	lofl	
Y.	(Please Print	()							· (
	hman	77-	12'11	Ald	<i>-</i> , '	W.O Numbe	eroc U	413	8
spec	ted From	the	Uille To	Cold	Spring	2	104		
	Exception Chain Mar		W.O. Trac	ck Rail	Switch	Cod	es	Status	Repair
əm	From	То	Number No). E/W	No.	Comp.	Defect	S/Y/R	Y/N
			PORTAGO 1						
2.									
						3			
	399								-
			Tallan Pallanda						
n '	COMMENTS		Day of the Hot Polyman Patron II						
		- 4							11.72
	Ridino	114	spection	orl					
			7				287	ë	
	Track in	eche	ction C	Emple	-ed	Hod	efec.	t's hon	led.
		7			•				
_			·						
-									
\dashv									
	N.						×		
						1			
	Were Switch in t	the area	of Inspected	Yes	N	0			
	ere all single operati	ing mecl	hanism & conectir	ng rod type sv	vitches inside	area and ope	eratated in	each position	on ?
	NO								텧
					_				
	SPECIAL INSP	ECTIO	N Yes	NO					
Rea	ason for special I	nspect	ion ?	<u> </u>					
								d	2
								1 A	
Tra	ck Inspector Signat	ture	240		4)	Supervisory	Cretifica	tion <u>M</u>	feeth
	100	-X						A	16.0
N	ale w.	(1)	9.75						19-0
-	,	· ~/	Je Comment						,
		2							

isbec	hman ted From	IMDEN .	-0	То	LINTH	ICUH	W.O Number	er <u>20769</u>	363	<u>/ *</u>
	Exception Chair	n Marker No.	w.o.	Track	Rall	Switch	Cod		Status	Repair
Item	From	То	Numbert	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			a trade and the said					20.00.	Orini	1///
2.	¥		0.000							
3,		727								
4.										
			新加州 斯斯	r						
5.										
6.										158
7.										
8.			Diselection in the							
9.										
m	COMMENTS									
		RIDING	INSPECTIO	N						
	No No	W DEFEC	TS NOTED	IN A	DFA					
\neg										
\neg								-		
\dashv										
-										
\dashv										
-										
-										
\dashv										
								4		
	Were Switch	in the area	of Inspecte	d Ye	98_01504	XONLY NO)			
We	ere all single op	erating meci	nanism & con	ecting re	od type s			ratated in e	each nositio	nn 2:
8	_NO ×	_		•					aon positic	× ×
	SPECIAL IN	SPECTIO	N Yes	1	VO &					
				·						
Rea	son for spec	ial Inspecti	on 2				9			
Rea	son for spec	ial Inspect	lon ?							
Rea	son for spec	ial Inspect	on ?						~	0
			lon ?		77-31				418	0 1
Trac	k Inspector Sig		on ?				Supervisory	Cretificati	on/UK	e al
Trac	k Inspector Sig		on ?					Cretificati	on/	engl
Trac			on ?		3			Cretificati	on <u>Mf</u>	9-1
Trac	k Inspector Sig		on ?		Ŷ.			Cretificati	on <u>M</u>	9-1
Trac	k Inspector Sig		on ?		· ·			Cretificati	on <u>Mf</u>	9-1
Trac	k Inspector Sig		on ?		3			Cretificati	on/ff	9-1-

	A. Moet	e).,	Sell		Date >	2-8-15		Page	of	
.Vato	(Please hman ted From <i>Colo</i>	•	7	To	Car	uden	W.O Numbe	er 207	5004	/*
	Exception Chair	Marker No.	w.o.	Track	Rail	Switch	Cod	8	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.	95 too N	89450		1	W		R301	307	У	
2.	90+00N			- (W	88-3A	RBOZ	322	У	
3.		Υ.,	(Marie Parlier)							
4.										
										124
5.									39	
6.										.9
7.										
8.										
9.										
em	COMMENTS									
/	COVYUC	rated	Rail	WRSI	rai	(VIG	Jeep.			
)										
<u></u>										
_										
<u></u>	Were Switch	h in the area	a of Insperts	ad V	98	All	0	Ž.		
	Were Switchere all single op						O_ area and ope	eratated in	each positi	on ?
	ere all single op	erating med	hanism & co	necting r	od type s			eratated in	each positi	on ?
es	ere all single op NO	erating med	hanism & co	necting r	od type s	switches inside	area and ope	eratated in	each positi	on ?

Name	A. Robett	le 5.5	. ((Date 9	-8-15		Page	of	.]-
Vatc	(Please	Print)					W.O Numbe	ar 2075	1004	, .
	ted From	Penn		То						·
							•			
	Exception Chai	n Marker No.	w.o.	Track	Rail	Switch	Cod	les	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				•	14					
2.										
3.		*:					3			
4.										
5.	8	H							1404	
6.										
7.			en alleman and area En alleman alleman and area							
8.										
9.										
em	COMMENTS									
)				- 19						
	Were Switc	h in the area	of Inspected	d Ye	es	N	0	-		
	ere alt single o		hanism & con	ecting r	od type sv	vitches inside	area and op	eratated in	each positi	on ?
	SPECIAL II	NSPECTIO	N Yes	i	NO					
Rea	ason for spec	cial Inspect	ion ?					#:		
Trac	ck Inspector S	Ignature A		*	,		Supervisor	y Cretificat	tion <u>M</u>	19-9.

)Watcl	hman led From	HUNT VALLEY	Military constitute on a 17 vin con	То	LUTHE	RVILLE	W.O Numb	er <u>2071</u>	2867	/ 4
-		Chain Marker No.	W.O.	Track	Rail	Switch	Cod	le s	Status	Repair
Item	From	To	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				•		P2			9.5	
2.										
3.										
4.)÷			
	0.00	12/							650	
5.										
€.	31									
7.			100000000000000000000000000000000000000						924	
8.			PROPERTY OF THE PROPERTY OF THE PARTY OF THE						- **	
9.										
əm	COMMEN	ITS	BAD-PERFORMANCE NO.							
T		RIDING THEP								
	.9									
8	re all sing	witch in the area ile operating med	hanism & con	ecting re	۷0 <u>۲</u>	witches inside	O area and ope	eratated in e	each positio	on ?
	k Inspecțo	or Signature hislin		,	,		Supervisory	/ Cretificati	lon U	Jary K

	3 5 .	/								
Name		-/ARI	ABETTE		Date	9-9-2	015	Page	of	
1	(Please	Print)								
Nato	hman				_		W.O Numbe	r 201	4107	<u>/ </u>
nspec	ted From	CINTH	1Cum	То	CRO	nuerc	0			
	Exception Chair	n Marker No.	W.O.	Track	Rall	Switch	Code	98	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.	cm3705		进程制制制	2	E	373-3	5304	350	У	У
2.										
3.			(Well-Alleria)				,			
4.										
				-					- A	
5.									F-6	
6.										.,
7										
8.									***	
9.				- V						
em	COMMENTS									
1	SWITCH	1 373	-3 PT.	64	PPEC	REPA	TIRED	By	SYSTE	ms
								7		
V-										
-										
									- · · · · ·	
			a of Inspecte		es/	NO				
	ere all single of	perating med	chanism & cor	necting r	od type s	witches inside	area and ope	ratated in	each positi	on?
es	NO <u>_</u>									84
	SPECIAL IN	NSPECTIO	ON Yes	1	NO »					
Re	ason for spec	ial Inspec	tion ?							
									0	180
_	• (0 00) 1000	pograpia Maranara					_	ACACTOR DELENGE	1110	1
Tra	ck Inspector S	gnature					Supervisory	Cretifica	tion M	M
	St. Co	un							4	0-11
/	18 cm									
1										

lame	S SEU	A RA	BETTE		Date	9-9-201	15	Page	of	
So.	(Please	Print)								
Nato	hman						W.O Numb	er_207	4109	1.
nspec	ted From	BWI	_	То	LIN	PHICUM				
			.		M12		• »			
	Exception Chal		W.O.	Track	Rall	Switch	Cod	des	Status	Repair
Item	From	To	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			可提供和關係	•						
2.	Ģ.	•								
3.										
4.										
	- 32			B						
5.			KURL SILE						593	
6.										
7.									- 11.00	
8.							4			
9.	3									
em .	COMMENTS		Augusta de la companya de la company							

	NO NO	EW DE	EF ECTS		MITER) /N	AREA			
)										
\neg										
T										
-	······································									
			of Inspecte		esu		0			
	ere all single of	perating mec	hanism & cor	necting r	od type s	switches inside	area and op	eratated in	each positi	on ?
8	NO									05
	SPECIAL IN	NSPECTIO	N Yes_		NO	<u></u>				
Rea	ason for spec	iai Inspect	ion ?							
									0	
										1
Tra	k Inspector Şi	Managaran					0		IN IN	
	0	gnature					Supervisor	v Cretifica	tion William	tett
	(), V	gnature		,			Supervisor	y Cretifica	tion M	HI .
99	lta &	gnature		2		*	Supervisor	y Cretifica	tion M	19-
/	Sta S	gnature		121			Supervisor	y Cretifica	tion M	9-
/	fta S	gnature		¥			Supervisor	y Cretifica	tion M	19-
/	Sta S	gnature		· ·			Supervisor	y Cretifica	tion M	19-

			(8)				The s			
ame	A. Rabat	4e 5	So CL		Date	9-10-13	5	Page	of	
\ ·	(Please									
∕Vatcl	hman		P				W.O Numb	er 207	2829	/ "
reneci	ted From Lu	16-41	110	To	1.41	spring				
Iahac	led FIOIII 20	i riev vi	ile.	10	COR	///				
_	E	- Mardina Ma	國州岛內東西東西區	Tuesla	T Ball	Switch	Cod	_	Status	Repair
	Exception Chair		VV. O	Track	Rall					
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			(中華) (中国) (中国)							
2.	i=									
3.			供給和期間				100			
4.										
				2					14	
5.										
6.										25
			De perselar isi							
7.					-	 				
8.			AUDITOR HEAVEST PROPERTY							
9.			直建了制制的特殊			ll				
em	COMMENTS					Noted 1				
								9		
	More Cuite	h in the are	a of Inspecto	-d \	/oe	NO	0			
	vvere switc		sa or mspecie		rod bino	switches inside		orototod in	ooob posit	ion 2
			cnanism & co	necung	rod type	SWILCHES INSIDE	area and of	dialateu III	each posit	ion r
es	NO	5								
	SPECIAL II	NSPECTI	ON Yes_		NO					
Re	ason for spec	cial Insped	ction ?							
	40011 101 Op 0	O.G., 17.10p.01			***************************************					,
									, 1,	
* <u>1005</u> 2400	5.74 4 5.7 4 5.75.55.55.55.55.						Ounemde -	OMEI	ML	well
Tra	ck Inspector S	ignature		,			Superviso	ry Cretifica	TION	1791
	1 D.	12				3				10
0	mue na	cere							1	19-

_	led Floili Ca	LD SPRING			CAMOG		_	3 ⁷		
			W.OL		Rail	Switch		des	Status	Repair
tem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				· 2	E	91-1	5304	305	4	
2.				<u> </u>	臣	91-1	S 304	348	Y	├──
3.	O1 - 8	- A		-	W	91-3	5 304 ·	344	y	
4.	91+00"	88+00N			w		W 301	1 20 /		-
5.										
6.								1		
7.								1		
8.										
9.										
m	COMMENTS	·								
1	RH CV PC	INT CHIPPE	BACK/WOR	N I'L>	(3/16 D.					
2	RHCV. PO	INT CRACK	50-118"FRO	H FRON	IT OF A	INT, CRACK	EN / 7/8" L	x 1/4°D		
3	RHCV PO	INT SIDE U	UORN BACK	13"L	x 3/16 D,	POINT GET	ting Sharp			
4	BETWEEN	91-3 AN.	0 88 3A S	WITCH	ES, Co	RRIGATED				
_	Gace T	COD AT CH I	14-0K							
_										
			*							
			•							
	*									
	*:							**************************************		
		tch in the are					NO			
	ere all single	tch in the are						peratated in	each posit	lon ?
	ere all single							peratated in	each posit	lon ?
	ere all single NO_X	operating med —	chanism & co	necting I	rod type	switches insid		peratated in	each posit	lon ?
	ere all single NO_X		chanism & co	necting I	rod type	switches insid		peratated in	each posit	lon ?
98	ere all singleNO_X SPECIAL	operating med INSPECTIO	chanism & co	necting i	rod type :	switches insid	e area and o	peratated in	each posit	lon ?
e s	ere all singleNO_X SPECIAL	operating med —	chanism & co	necting i	rod type :	switches insid	e area and o	peratated in	each posit	lon?
es	ere all singleNO_X SPECIAL	operating med INSPECTIO	chanism & co	necting i	rod type :	switches insid	e area and o	peratated in	each posit	lon?
es Re	ere all singleNO_X SPECIAL ason for sp	operating med INSPECTION ecial Inspec	chanism & co	necting i	rod type :	switches insid	e area and o			lon?
es Re	ere all single NO X SPECIAL ason for sp	operating med INSPECTIO ecial Inspec	chanism & co	necting i	rod type :	switches insid	e area and o	peratated in		lon?
Re	ere all singleNO_X SPECIAL ason for sp	operating med INSPECTIO ecial Inspec	chanism & co	necting i	rod type :	switches insid	e area and o			lon?
Re	ere all single NO X SPECIAL ason for sp	operating med INSPECTIO ecial Inspec	chanism & co	necting i	rod type :	switches insid	e area and o			lon?

ame	The state of the s				Date	9-10-15		Page 7	of Z	
		ase Print) BRYANT PEUN LINE	=.	То			W.O Numb	er_2072	196	/*
							.			
	Exception C		W.O.	Track	Rall	Switch	Coo	le s	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
2.		(4)								
3.			THE STATE OF							
4.			CHARLES TO SALES OF SECTION OF SEC							
_										
5.										
6.						ļ				
7.										
8.							 			-
9.	0011111111		研練品質的影響探測				L			
em	COMMENT		T _							
		NO NEW DEF	ACIS NOTE	ED FILE	IREA					
					199					
	135							¥.		
		vitch in the area e operating med	-		es <u>×</u> od type		Oo area and op	eratated in	each posit	lon ?
	SPECIA	L INSPECTIO	N Yes		NO x					
Rea	ason for s	pecial Inspec	tion ?							
									nd.	/ /
Tue	ok Inonesta	u Clanotius					Quanta de co	· Crotisia-	tion Act	with
		r Signature		,			Supervisor	y Creunca	uon_	1/200
/	School	h				27				9/10
										1-10

170					Date	1 11 0		, ugo	<u> </u>	
.√atc	•						W.O Numbe	_ 200	67146	1"
nspec	ted From	LIN	-	То	CR	OMWELL	=	<i>j</i> a		
	Exception Cha	ain Marker No.	w.o.	Track	Rall	Switch	Code	8	Status	Repair
item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.	Cm 488			. /		488-1	5304	348	<u> </u>	Y
2.	ji ji	•								
3.		, x					76			
4.										
5.									990	
6.			经制度制度制度							
7.			biyeti dibiyatikin							
8.										
9.			建作的有限的							
em	COMMENTS									
	RIDI	NG I	NSPEC	-170 V	<u> </u>					
	SWITCH	488-	I HA	K 0	A					
	Exception Chain Merker No. WO. Track Rall Switch Codes Status F From To Number No. EW No. Comp. Defect SW/R Cm 488									
	(Please Print) hman ted From LIW To CROMWELL Exception Chain Marker No. W.O. Track Rall Switch Codes Status Re From To Number No. EW No. Comp. Defect SN/R Y CM 488 COMMENTS R J D I NG T NSPECTION SWITCH 488-I HAS RAIL ITERTERS ON AND IS FILLED WITH TRASH AND LEAVES Were Switch In the area of Inspected Yes VISUALLY ONLY NO_ Gere all single operating mechanism & conecting rod type switches inside area and operatated in each position?									
	FILLED	י ארו וא	TRASH	<u>a</u> c	HIL L	SAVES	5 ON	AND	15	
	FILLED	WITH	TRASIA	d we	L	SAVES	3 ON	AND	15	
j_	FILLED	י שו דוא	TRASH	<u> </u>	L	ITENTER SAVES	3 0 N	AND	15	
)	FILLED	WITH	TRASH	<u> </u>	H1L	ITENTER SAVES	5 0 N	AND	15	
)	FILLED	שוחא	TRASH	<u> </u>	L	ITENTER SAVES	3 0 N	AND	15	
<u></u>	FILLED	שוחא	TRASH	<u>C</u> w a	<i>L</i> (ITENTER SAVES	3 0 N	AND	15	
<u></u>	FILLED	WITH	TRASH	<u>C</u> w a	<i>L</i> (ITENTER SAVES	5 0 N	AND	15	
<u>j</u>	FILLED	שו חא	TRASH	<u>C</u> w a	<i>L</i> (ITENTER SAVES	5 0 N	AND	15	
)	FILLED Were Swit	ch in the are	TRASIA	€ V be		LALLY ONLY N	IO			
)	FILLED Were Swit	ch in the are	TRASIA	€ V be		LALLY ONLY N	IO			lon ?
	Were Swit	ch in the are	TRASIA	€ V be		LALLY ONLY N	IO			ion ?
	Were Swit	ch in the are	TRASIA	€ V be		LALLY ONLY N	IO			lon ?
	Were Swit	ch in the are	a of Inspecte	ed Y	es √/Si	LALLY ONLY N	IO			ion ?
es	Were Swite ere all single of the NO	ch in the are operating med	a of Inspecte chanism & co	ed Y	es_ √/Si rod type	LALLY ONLY A switches inside	O			ion ?
es	Were Swite ere all single of the NO	ch in the are operating med	a of Inspecte chanism & co	ed Y	es_ √/Si rod type	LALLY ONLY N	O			ion?
es_ Re	Were Swite Vere all single of NO SPECIAL ason for special spec	ch in the are operating med	a of Inspecte chanism & co	ed Y	es_ √/Si rod type	LALLY ONLY A switches inside	Oo area and ope	eratated in	each posit	ion?
es_ Re	Were Swite ere all single of the NO	ch in the are operating med	a of Inspecte chanism & co	ed Y	es_ √/Si rod type	LALLY ONLY A switches inside	O	eratated in	each posit	lon?
es_ Re	Were Swite Vere all single of NO SPECIAL ason for special spec	ch in the are operating med	a of Inspecte chanism & co	ed Y	es_ √/Si rod type	LALLY ONLY A switches inside	Oo area and ope	eratated in	each posit	lon?

					9-11-	2015	Character Co. Co.		- 1
Name	5 5E			Date	7-11-	2013	Page	of	
Vatc	(Please					W.O Numbe	r 206	7146	/ 4
	ed From	1-18/17-	ticum To	13	WI	W.O Marine			
Порос			red n = 10			•	7.5		
	Exception Chair	Marker No.	W.O. Track	Rall	Switch	Cod	es	Status	Repair
Item	From		Number No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.									
2.									
3.		27							
4.									
-									
5.								1690	
6.									,
7.			Protesta de la composição						
8.				1					
9.									
em	COMMENTS								
	NO N	EW D	EFECTS	NOT	ED IN	ARE	17		
	KIDIN	16 1	NSPECTION	J	34 P				
-						<u> </u>			
-					·				
1									
-									
-									
							25		
					AL ONLY N				
		perating med	chanism & conecting	rod type :	switches inside	area and op	eratated in	each posit	ion ?
es	NO _								
				(2)					
	SPECIAL IN	NSPECTIO	ON Yes	NO					
Re	ason for spec	cial Inspec	tion ?				Vi		
								6	2
								111	[_
Tra	ck Inspector Şi	lgnature				Supervisor	ry Cretifica	ation/4) per C
	V a 0		(2)		*			· H	10-14
	Itu s							V	1-1-1
1	-								

110	A. Rabe					7-13-15		Page	of	
/atc	nman	_					W.O Numbe	ar 2081	769	1"
spec	ted From	nder		То	Lin-	thicam	7			
	2									
	Exception Chair		W.O.	Track	Rall	Switch	Cod	r	Status	Repair
tem	From	To	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
2.										
3.								 		
4.	· · · · · · · · · · · ·									
_										
5.										
6. 7.								1.00.0		.9
8.			NUMBER OF STREET						**	
9.										
m	COMMENTS		October 1884 COST STREET					l		
)										
) <u> </u>										
>=										
) <u> </u>			Ž-n					6		
)										
)			a of Inspecte			No.				
	ere all single or	perating med	•					eratated in	each positi	on ?
		perating med	•					eratated in	each positi	ion ?
	ere all single op NO	perating med	chanism & co	necting	rod type s	witches inside		eratated in	each positi	ion ?
	ere all single or	perating med	chanism & co	necting	rod type s	witches inside		eratated in	each positi	ion ?
9 s	ere all single op NO	SPECTION	chanism & co	necting	rod type s	witches inside	area and op		each positi	on ?
es	ere all single on NO 4	SPECTION	chanism & co	necting	rod type s	witches inside	area and op		each positi	ion?
es	ere all single on NO 4	SPECTION	chanism & co	necting	rod type s	witches inside	area and op		n 1ld	ion?
es Re	ere all single on NO 4	NSPECTIC	chanism & co	necting	rod type s	witches inside	area and op		n 1ld	ion?